

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	file adj system adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:20
S2	1	((file adj system adj statement) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 17:58
S3	123	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:21
S4	1	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 17:59
S5	65	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) and ("707/" .ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:00
S6	57	execut\$3 with file adj system with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:05
S7	4	execut\$3 with file adj system with transaction same (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:14
S8	1	file adj system adj command with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:08
S9	2	execut\$3 with file adj system with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:40

EAST Search History

S10	56	filestream	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:25
S11	42	filestream and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:18
S12	1	("6442748").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 18:25
S13	1	("6785690").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 18:39
S14	7	(open\$3 execut\$3 access\$3) with (file adj system) with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:50
S15	83	database adj data with file adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:47
S16	2	database adj data with file adj data with together	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:47
S17	24274	database near2 field with stor\$3 file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:57
S18	96	call near2 (open read write close) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54
S19	1	call near2 (open read write close) with transaction with statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54

EAST Search History

S20	96	call near2 (open read write close) with transaction same transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54
S21	5	call near2 (open read write close) with transaction same transaction same (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:54
S22	0	store near3 database near2 field with file near2 location near3 data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:58
S23	0	store near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 18:59
S24	2	stor\$3 near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:00
S25	2	stor\$3 near3 database near2 field with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:01
S26	494	stor\$3 near3 database with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:01
S27	249	stor\$3 near3 database near2 (field location) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:02
S28	2	stor\$3 near3 database near2 (field) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:02
S29	51	stor\$3 near3 database near2 (pointer reference) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:08

EAST Search History

S30	0	query adj contains with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:08
S31	0	(SQL statement query) near2 (contain\$3 includ\$3) with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:09
S32	715	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:10
S33	38	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write)) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:10
S34	0	((file adj system adj statement) (open read write) near3 call) with transactin	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:21
S35	121	((file adj system adj statement) (open read write) near3 call) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:22
S36	13	((file adj system adj statement) (open read write) near3 call) with transaction same lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:24
S37	2	((("6606626") or ("6607542"))).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/09/01 19:28
S38	2041	datalinks	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:28
S39	22	datalinks same db2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/09/01 19:28

EAST Search History

S40	6	file adj system adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S41	1	((file adj system adj statement) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S42	4	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S43	69	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query) and ("707/" .ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S44	60	execut\$3 with file adj system with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S45	4	execut\$3 with file adj system with transaction same (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S46	2	file adj system adj command with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S47	2	execut\$3 with file adj system with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S48	48	filestream and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S49	65	filestream	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53

EAST Search History

S50	1	("6442748").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/26 09:53
S51	1	("6785690").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/26 09:53
S52	8	(open\$3 execut\$3 access\$3) with (file adj system) with within with (SQL or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S53	90	database adj data with file adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S54	2	database adj data with file adj data with together	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S55	26702	database near2 field with stor\$3 file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S56	101	call near2 (open read write close) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S57	1	call near2 (open read write close) with transaction with statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S58	101	call near2 (open read write close) with transaction same transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S59	5	call near2 (open read write close) with transaction same transaction same (SQL query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53

EAST Search History

S60	0	store near3 database near2 field with file near2 location near3 data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S61	0	store near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S62	2	stor\$3 near3 database near2 field with file near2 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S63	2	stor\$3 near3 database near2 field with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S64	539	stor\$3 near3 database with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S65	264	stor\$3 near3 database near2 (field location) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S66	2	stor\$3 near3 database near2 (field) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S67	54	stor\$3 near3 database near2 (pointer reference) with file near3 location	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S68	0	query adj contains with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S69	0	(SQL statement query) near2 (contain\$3 includ\$3) with (filesystem adj statement)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53

EAST Search History

S70	785	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S71	39	(SQL statement query) near2 (contain\$3 includ\$3) with ((filesystem adj statement) or (open close read write)) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S72	132	((file adj system adj statement) (open read write) near3 call) with ((query adj language adj statement) or sql or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S73	0	((file adj system adj statement) (open read write) near3 call) with transactin	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S74	130	((file adj system adj statement) (open read write) near3 call) with transaction	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S75	13	((file adj system adj statement) (open read write) near3 call) with transaction same lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S76	2	(("6606626") or ("6607542")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/02/26 09:53
S77	2163	datalinks	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S78	22	datalinks same db2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 09:53
S79	29	receiv\$3 with ((file adj system adj statement) open close read write) with (SQL statement database) with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:52

EAST Search History

S80	3998	((file adj system adj statement) open close read write) with (SQL statement query) same database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:58
S81	0	(file adj system adj statement) with (SQL statement query) same database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:54
S82	0	(file adj system adj (transaction statement)) with (SQL statement query) same database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:54
S83	1495	((file adj system adj statement) open close read write) with (contain\$3 within) with (SQL statement query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:59
S84	505	((file adj system adj statement) open close) with (contain\$3 within) with (SQL statement query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 10:59
S85	55	((file adj system adj statement) ((open close) with file)) with (contain\$3 within) with (SQL statement query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 11:55
S86	71	((file adj system adj statement) ((open close) with file)) with (associat\$3 combin\$3 contain\$3 within) with (SQL statement query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 11:56
S87	128	((file adj system adj statement) ((open close) with file)) with (associat\$3 combin\$3 contain\$3 within) with (transaction statement query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 12:02
S88	31	((file adj system adj statement) ((open close) with file)) with (associat\$3 combin\$3 contain\$3 within) with (transaction statement query) and SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 14:47
S89	66	((file adj system adj statement) ((open close) with file)) with (associat\$3 combin\$3 contain\$3 within) with (transaction statement query) and query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/02/26 14:48